


SYSMAX Innovations Co., Ltd.

Rm 2601-06, Central Tower, No.5 Xiancun Road, Tianhe District, Guangzhou, 510623, Guangdong, China Tel: +86 20 83862000 Fax: +86 20 83882723 E-mail: info@nitecore.com

0512PCT20

Product Catalogue






ABOUT NITECORE

With the industry-leading innovative power for 13 years, NITECORE is the first brand to achieve a grand-slam milestone in the industries of professional lighting and chargers to receive the German iF Design Award, Red Dot Design Award, the Japanese G-Mark (Good Design) and the American IDEA, as well as Gold Winners of the ISPO Award and Outstanding Outdoor globally recognized in the outdoor industry.

We specialize in product lines varying from tactical flashlights to outdoor lighting equipment and power solutions specially designed for law enforcement and military departments, industrial corporations and outdoor enthusiasts worldwide. Our partners include Tor des Géants, HK100, Rio 2016 Summer Olympics in Brazil and Supreme.

Operating in full compliance with ISO9001 and qualified as China's High and New Technology Enterprise (HNTE), NITECORE and its factories have set the most exacting production and testing standards to ensure quality and performance. Our products have gained multiple certifications including CE, ROHS, FCC, CEC, REACH, KC, C-TICK and more. All batteries and chargers are globally insured by Ping An Insurance Group.





Established in 2007, Nitecore has long been at the forefront of technological advancement in portable illumination. Through its tremendous research and development capacity, Nitecore has become the first brand in the professional lighting and illumination industry to receive all four grand international design prizes including the American IDEA, the German iF Design Award, Red Dot Design Award and the Japanese G-Mark (Good Design), in addition to the worldly famous ISPO Award in the outdoor industry. Nitecore products are internationally recognized in over 100 countries.



MEDIA RECOGNITION





PATENT

With advanced technologies and technical personnel, Nitecore has been keeping innovating for over the years and has harvested over one hundred invention patents and utility model patents.



INNOVATIVE UNIQUE

TECHNOLOGY (UIT)

INNOVATIVE MULTIMETER

FUNCTIONALITY

INTEGRATED

INNOVATIVE STROBE READY[™] SYSTEM



THE INDUSTRY'S FIRST FLASHLIGHT UTILIZING INDUCTIVE CHARGING **TECHNOLOGY**



INNOVATIVE ACTIVE DIMING TECHNOLOGY (ADT)





TM26



TM28



Shooter



MT40/MT40GT








Various Products







SRT7/SRT7GT













06



ADVANCED TEMPERATURE

REGULATION (ATR)

TECHNOLOGY

INNOVATIVE MULTI-OUTPUT FLASHLIGHT SERIES



INNOVATIVE FIXABLE/360° ROTATABLE FLASHLIGHT HOLSTER



THE FIRST COAXIAL DUAL OUTPUT HEADLAMP DESIGN IN THE INDUSTRY



INNOVATIVE TWO STAGE

SWITCH

AND BATTERY VOLTAGE



ALL-IN-ONE HIGHLY COMPATIBLE AND INTELLIGENT CHARGER SERIES

07



STROBE READY™

In law enforcement, the strobe flashlight for self-defense is used on potential suspects who may present a danger but are not lethally armed. The strobe light is disorienting to the person it is aimed at which makes it difficult for them to concentrate. Also, they avert their eyes away from the strobing effect. This means it is easier for the police to subdue successfully and control the suspect.



Specially designed for tactical applications to enable a quick access to STROBE Mode (Patent No.: ZL201320545349.4)

2nd Generation STROBE READY[™] Technology

Inset pedal design to avoid accidental activation (US Patent No.: 15/846299 US10237955B1)

STROBE READY™ Models: P10 V2, P20UV, P20 V2, P22R, i4000R, CI7

ADVANCED RANDOMLY CHANGING STROBE MODE

The randomly changing frequencies available in the STROBE Mode of latest NITECORE models can cause stronger dizzying effects due to the inadaptability of the naked eyes.

Models with Randomly Changing STROBE Mode: NEW P12, P12GTS, P18, P22R, i4000R, C17, MH12GTS, MH12 V2, MH25GTS








ULTRAVIOLET & INFRARED

The UV light has shorter wavelengths than visible light, and is also known as black light. Ultraviolet LED flashlights are useful in many applications, including identifying forged documents, tracing marked bills, leakage/grease inspection, sanitary check, hunting scorpions etc. The IR light is with wavelengths longer than those of visible light. Extensive uses for military and civilian applications include target acquisition, surveillance, night vision, homing, and tracking.

Ultraviolet Models: P20UV, CU6, MH27UV, THUMB LEO, TIKI Infrared Models: CI7, NU05 MI











NITECORE aims to lead a trend of new tactics with the TurboReady™ technology to enable an instant dazzle strike with a blazing tactical output, in order to produce an abrupt disturbance to your adversary during the day or at night.

NITECORE TurboReady™ Models: TM9K









Search

& Rescue

Tiny Monster Series

All of our groundbreaking Tiny Monster models have thoroughly changed the way people think about portable lights, and more importantly, what they actually carry and use. Created for search and rescue as well as outdoor adventures, our Tiny Monster series is now employed in countless professional applications where bright lighting is needed.









► TM39

Ultra High Performance Superior Searchlight

Specifications

+ Rechargeable

Features

+ Runtime on lowest output level: 36h + LUMINUS SBT-90 GEN2 LED

+ NBP68 HD Battery Pack







glove users + Integrated multi-function OLED display

+ Dual side switches specially designed for

+ Lockout mode available



Ultra High Performance Superior Searchlight

Specifications

+ Rechargeable + Runtime on lowest output level: 20h + LUMINUS SBT-90 GEN2 LED + Powered by 4x18650 Batteries





+ Dual side switches specially designed for glove users + Integrated multi-function OLED display + Lockout mode available





N R

10,000 !!



Compact and Intelligent Sharp Light

Specifications

+ Rechargeable + Runtime on lowest output level: 200h + 6 CREE XHP35 HD LEDs

+ Built-in rechargeable Li-ion battery



Features

+ Combination of dual side switches and a tail switch + Multifunctional OLED real-time display

+ Two lockout modes available







Precise Series

NITECORE Precise Series flashlights are highly innovative illumination tools purpose-designed for law enforcement, hunting and tactical applications. With incredible user-interface design, these lights allow easy access to all modes and brightness levels. With blazingly bright output in TURBO/STROBE mode, exceptionally long runtimes in LOW mode and unique gun-mounting functionality, the Precise Series flashlights are the ultimate lighting tools for increased tactical effectiveness.



Enforcement

Self Defense

Weapon

Mounted

▶ P10 V2

STROBE READY™ Ultra Compact Tactical Flashlight









Features

- + NTR10 Tactical Ring Pro compatible
- + 2nd Generation Inset Pedal Design with dual tail switches
- + Anti-impact reverse polarity protection mechanism for
- shooting sports
- + 3 user modes available and easily selectable + The power indicator indicates the remaining battery power

NTH10

Sel Defense





Unibody Die-cast Futuristic Tactical Flashlight

Specifications

+ Runtime on lowest output level: 220h

- + CREE XHP35 HD LED
- + 1×18650 Battery + 2×CR123 Batteries





Features

- + The silent tactical tail switch enables silent operation of the white light
- + The side switch controls the auxiliary red light independently
- + STROBE Mode uses randomly changing frequencies for
- stronger dizzying effects
- + The auxiliary red LED indicates the remaining battery power



- + 2nd Generation Inset Pedal Design with dual tail switches + Anti-impact reverse polarity protection mechanism for shooting sports
- + Strike bezel uses high strength silicon nitride ceramics
- + 3 user modes available and easily selectable
- + The power indicator indicates the remaining battery power





STROBE READY™ Tactical UV Flashlight

Specifications

- + Runtime on lowest output level: 15h30min
- + CREE XM-L2 U2 LED
- + 1×18650 Battery
- + 2×CR123 Batteries + 365nm Ultraviolet Light





- + White + UV dual light sources
- + Dual tail switch design
- + 3 user modes available and easily selectable
- + The power indicator indicates the remaining battery power



Defense



- + Strike bezel uses high strength silicon nitride ceramics
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + 3 user modes available and easily selectable
- + The power indicator indicates the remaining battery power

USB-C Charging Port **Rotatable Protective Cover**














- + Combination of a tail switch and a side switch





18

PORTABLE LIGHTS







▶ P12

Ultra Compact Easily Operable Tactical Flashlight

Specifications

- + Runtime on lowest output level: 520h
- + Cree XM-L2 U2 LED
- + 1×18650 Battery
- + 2×CR123 Batteries



Features

- + Anti-impact reverse polarity protection mechanism for
- shooting sports + Combination of a tail switch and a side switch
- + The power indicator indicates the remaining battery power


+ The power indicator indicates the remaining battery power

Smart Ring Tactical Series

The Smart Ring Tactical Series features the 3rd generation of Smart Selector Ring and multiple colored LEDs in a compact flashlight. The unique and user-friendly interface offers a swift and easy access to various brightness levels with a stepless brightness regulation, special modes and even different colored output. It enables the most versatile usage in such an all-in-one flashlight.




- + Anti-impact reverse polarity protection mechanism for shooting sports
- + The power indicator indicates the remaining battery power









i Series

The i Series is another innovative product line of flashlights powered by the NITECORE 21700 i Series Battery, a patented proprietary 21700 rechargeable Li-ion battery featuring dual way output with positive and negative polarities at both ends and a high energy density. The state-of-the-art design and the most advanced technology integrated in a single tube make it the ultimate choice to meet the tactical needs.



- + 2nd Generation Inset Pedal Design with dual tail switches
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + Dual power indicators indicate the remaining battery power





INDEPENDENTLY CONTROLLED **QUADRUPLE LEDS**

Powered by a constant current circuit to provide a durable usage with guaranteed safety.


PORTABLE LIGHTS





- + 2nd Generation Inset Pedal Design with dual tail switches
- + Easy dual beam switching mechanism between IR and white beams
- + Tactical Mode and Daily Mode available for the white beam + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power



MID







HIGH

7000mW

LOW 1000mW

3000mW



Chameleon Series

The Chameleon series is yet another unique and innovative offering from NITECORE. Featuring two groups of LEDs and an easy switching mechanism, the latest CI7 can provide an ultra high output for each group while bringing unlimited possibilities for our flashlight design. Simply push the head outwards and rotate the head clockwise or counterclockwise to switch between the beams. The industry-leading design of the Chameleon series is another proof of NITECORE's capacity for innovation.



- + Primary White Light + UV
- + Auxiliary Red + Blue + Green + 4 Special Modes + Combination of dual side switches and a tail switch
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + The power indicator indicates the remaining battery power



Rechargeable Series

Rechargeable Series are aimed at your ultimate maneuver. The smart charging docks keep your flashlights always fully-powered for any abrupt cases. With power-boosted proprietary Li-ion batteries, the Rechargeable Series flashlights are capable of emitting blinding blaze in no time, smashing up darkness and violence for your law enforcement and tactical tasks.

▶ R40 V2


Inductive Wireless Charging Flashlight

Specifications

+ Rechargeable

- + Runtime on lowest output level: 1200h
- + CREE XP-L2 V6 LED
- + 1xNL2150DW Battery







Iaw Enforceme

Search

& Rescue

Features

- + Triple charging ways available + Dual side switches design
- + Wall mount cradle and desktop cradle included for inductive wireless charging

USB-C Charging

- + AC adapter and 12V/24V car adapter included
- + The power indicator indicates the remaining battery power

(((4)) Industry-Leading (((4))) Wireless Charging Technology





Self

Defense



NITECORE Multi-task Hybrid dual-fuel rechargeable flashlights are a popular line of highly versatile and practical illumination tools designed for a multitude of users and applications. Featuring a high-precision long-range reflector, well-spaced brightness settings plus various special modes, the Multitask Hybrid Series is the ultimate lighting tools for hunting, law enforcement, search and rescue

law

Enforcement

Self

Defense

S.0.5

Search & Rescue

► MH12 V2 ■USB-C CHARGING

Next Generation 21700 Dual Fuel Tactical Flashlight

Specifications

+ Rechargeable


- + Runtime on lowest output level: 1500h
- + CREE XP-L2 V6 LED
- + 1x21700 Battery
- + 1x18650 Battery
- + 2xCR123 Batteries





- + Combination of a tail switch and a side switch
- + Tactical Mode and Daily Mode available
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects

User-Friendly Metal Side Switch





Features

- + Combination of a tail switch and a side switch
- + STROBE Mode uses randomly changing frequencies for stronger dizzying effects
- + The power indicator indicates the remaining battery power





Law Enforcement

> Weapon Mounted

> > Self

Defense



Classic Design Ultra Compact Dual Fuel Tactical Flashlight

Specifications

- + Rechargeable
- + Runtime on lowest output level: 520h
- + CREE XP-L HI V3 LED
- + 1×18650 Battery
- + 2×CR123 Batteries



Features

- + Combination of a tail switch and a side switch
 - + Reverse polarity protection
 - + The power indicator indicates the remaining battery power



Law Enforcement

Self

Defense

Search

& Rescue


Weapon Mounted



- + Combination of dual side switches and a tail switch
- + Anti-impact reverse polarity protection mechanism for shooting sports
- + The power indicator indicates the remaining battery power



+ Combination of dual mode switching mechanism and a tail switch + User-defined Mode available



PORTABLE LIGHTS

& Rescue









High Performance Dual Fuel Tactical Flashlight

Specifications

+ Rechargeable + Runtime on lowest output level: 250h

+ CREE XHP35 HD LED

- + 1×18650 Battery
- + 2×CR123 Batteries



Features

- + Combination of a tail switch and a side switch
- + STROBE Mode uses randomly changing frequencies for
- stronger dizzying effects
- + The power indicator indicates the remaining battery power

► MT1A

Specifications

+ CREE XP-G2 R5 LED

+ 1×AA Battery

Multi-Task Series

commonly seen power sources.

+ Runtime on lowest output level: 60h

115

Meters

Ultra Compact AA Tactical Flashlight

PORTABLE LIGHTS



Features

+ Primary White Light

High CRI White Light + UV + Single switch design

T Series

will carry every day.





High CRI White LED

UV LED (500mW, 365nm)

Blue LED







Mini Futuristic Keychain Light with Warning Signals

Specifications

The T series is a collection of mini lights. Small yet powerful, each light comes with multiple features

charging options and ultimate convenience of use, making it the best gadget on the go that you

in an extremely mini housing. With a built-in Li-ion battery and a Micro-USB port, it offers flexible

+ Rechargeable


- + Runtime on lowest output level: 40h
- + OSRAM P8 LED
- + Built-in Li-ion battery





+ Primary White Light Red + Blue + Warning Signals + Single switch design





Law

Enforcement

Features

180

Lumens

- + Combination of dual mode switching mechanism and a tail switch
- + User-defined Mode available



Multi-Task Series is a line of highly versatile and practical illumination tools designed for a

multitude of users and environments. With a convenient two-mode interface for an easy switch

between TURBO and User-Defined Mode, the MT1A and MT2A are becoming the ultimate backup

flashlights for police and military forces as they are powered by the AA batteries, one of the most







Ultra Compact 2AA Tactical Flashlight

Specifications'

- + Runtime on lowest output level: 50h
- + CREE XP-G2 R5 LED
- + 2×AA Batteries



Features

+ Combination of dual mode switching mechanism and a tail switch + User-defined Mode available

SIGNAL LIGHTS





Features

+ Primary White + UV Light

+ Dual switch design

Red & Blue Warning Signals



Law Enforcement Version





NUO5 MI Mini Signal Light Military Version







Specifications

+ Rechargeable

+ 1×18650 Battery

1000

Lumens

Features

battery power

+ 2×CR123 Batteries

117

Helmet Lights

HELMET LIGHTS

Law Enforcement

Search





Law Enforcement











► HC65M **Triple Output Tactical Helmet Light**

With NVG Mount

Specifications'

The NITECORE Helmet Lights are specially designed for law enforcement, military, firefighting, search and rescue. The newly released HC60M and HC65M are equipped with a quick

an ultra lightweight design to ease the burden of wearing or mounting.

detachable NVG mount based on our award-winning headlamp design, while the NU32 features

+ Rechargeable + Runtime on lowest output level: 800h

- + CREE XM-L2 U2 LED
- + 1×18650 Battery
- + 2×CR123 Batteries





+ Primary White Light High CRI White Light + Red

- + Single switch design
- + The power indicator indicates the remaining battery power



+ Rechargeable

Features

320 Lumens

+ Runtime on lowest output level: 330h + CREE XP-G3 S3 LED + Built-in Li-ion battery




+ Primary White Light

+ Dual switch design

battery power

High CRI White Light + Red

+ The power indicator indicates the remaining



White Red CRI

► HM01 **High Performance Helmet Light**





38








Specifications

+ Runtime on lowest output level: 1h + 1×CR123 Battery







+ Picatinny Rail Mount + Specifications: 40x42x45mm / 1.6"x1.7"x1.8"





+ Picatinny Rail Mount + Specifications: 65x42x45mm / 2.6"x1.7"x1.8"









NEW

► GM	<mark>02 4</mark>	0-40
------	-------------------	------

+ Picatinny Rail Mount + Specifications: 40x42x45mm / 1.6"x1.7"x1.8"





+ Picatinny Rail Mount
+ Specifications:
75x42x45mm / 3.0"x1.7"x1.8"











+ Magnetic Mount + Specifications: 50x50.2x60.34mm / 2.0"x2.0"x2.4"

Tactical Ring Pro

The NTR10 is a tactical accessory to enable a unique and flexible way of carrying or operating a flashlight. It can be mounted on the specially designed slots of the latest NITECORE tactical flashlights according to the size of the user's hand.





NTR10







Compatible with NITECORE tactical holsters to enable a quick and precise operation of the flashlight

NTR10 Operation Guide

2Used as a tactical striking knuckle when mounted on a flashlight





Dual ways of quick detachment to prevent pressure to the fingers

Create your unique and flexible way of carrying a flashlight



Strengthen your grip to avoid accidental harm to your wrist



Tactical Remote Switch

Noiseless pressure pad switch capable of accessing momentary-on and constant-on illumination, professional and convenient operation making it ideal for law enforcement, hunting and more scenarios.

RSW1/RSW1-1 fits flashlights with tail diameter of 1 inch, capable of accessing momentary-on and constant-on illumination.

RSW2 fits P10 V2, P20UV and P20 V2, capable of accessing STROBE READY™ and changing brightness levels as well as momentary-on and constant-on illumination.

RSW2D fits MH12GTS, MH25GTS, CI7 and P22R, capable of accessing STROBE READY™ and changing brightness levels as well as momentary-on and constant-on illumination.

RSW3 fits NEW P12, NEW P30 and MH12 V2, capable of accessing momentary-on and constant-on illumination.

RSW2D





RSW1-1

RSW3










Specially Designed for Law Enforcement



يستحقس

360° Rotatable Mechanism



P20 V2





Upgraded Lockout Design









Rechargeable Li-ion Batteries

MODEL	SPECIFICATION	CAPACITY
NL1823	18650	2300mAh
NL1826	18650	2600mAh
NL1832	18650	3200mAh
NL1834	18650	3400mAh
NL1835	18650	3500mAh
NL166	16340	650mAh
NL1485	14500	850mAh
NL2140	21700	4000mAh
NL2145	21700	4500mAh
NL2150	21700	5000mAh



Micro-USB/USB-C Rechargeable Li-ion Batteries

MODEL	SPECIFICATION	CAPACITY
NL1826R	18650	2600mAh
NL1834R	18650	3400mAh
NL1835R	18650	3500mAh
NL1665R	16340	650mAh
NL1475R	14500	750mAh
NL1829RLTP	18650	2900mAh
NL2140R	21700	4000mAh
NL2150R	21700	5000mAh
NL2150HPR	21700	5000mAh



High Performance Batteries

MODEL	SPECIFICATION	CAPACITY	DISCHARGE CURRENT
NL1835HP	18650	3500mAh	8A
NL1829LTHP	18650	2900mAh	8A
IMR18650 3100MAH(FOR TM28)	18650	3100mAh	10A
NL2140HP	21700	4000mAh	15A
NL2145HP	21700	4500mAh	15A
NL2150HP	21700	5000mAh	15A
NL2150HPR	21700	5000mAh	15A



Low-temperature Resistant Batteries

MODEL	SPECIFICATION	CAPACITY	DISCHARGE CURRENT
NL1829LTP	18650	2900mAh	4A
NL1829LTHP	18650	2900mAh	8A
NL1829RLTP	18650	2900mAh	5A

► NTC1 Tactical Tail Cap

▶ NTL10

Tactical Lanyard

▶ NTL20 Tactical Lanyard




















PVD bezel





Diffuser NDF25, NDF32, NDF34, NDF40

Traffic Wand

NTW25, NTW32, NTW34, NTW40

Crenulated Bezel

Crenulated bezel



► Filters



MODEL	COMPATIBLE SIZE	COLOR
NFR23/NFG23/NFB23	22.5mm	RGB
NFR25/NFG25/NFB25	25.4mm	RGB
NFR34/NFG34/NFB34	34mm	RGB
NFR40/NFG40/NFB40	40mm	RGB
NFR50/NFG50	50mm	RG
NFR60/NFG60/NFB60	60mm	RGB
NFR70/NFG70	70mm	RG
NFD23	22.5mm	White
NFD25	25.4mm	White
NFD34	34mm	White
NFD40	40mm	White
NFD60	60mm	White





Compatible with IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd	
Compatible with IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd	
Input DC 5V/2A 9V/2A 18W (MAX)	
Output voltage 4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48	V±1%
Output current QC Mode: 1,500mA*2 (MAX) Standard Mode: 1,000mA*2 (MAX)	
· · · · · ·	



► UM4	4 SLOTS	
Intelligent USB Four-S	lot Charger	

UM4 SPEC

Compatible with IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd Input DC 5V/2A 9V/2A 18W (MAX) Output voltage 4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48V±1% QC Mode: 1,500mA*1 (MAX), 1,500mA*2 (MAX), 750mA*4 (MAX) Istandard Mode: 1,500mA*1 (MAX), 1,000mA*2 (MAX), 500mA*4 (MAX) Output current

UM2 & UM4 COMPATIBLE WITH

IMR/Li-ion/LiFePO4: 10440, 14500, 14650, 16500, 16340 (RCR123), 16650, 17350, 17500, 17650, 17670, 17700, 18350, 18490, 18500, 18650, 18700, 20700, 21700, 22500, 22650, 25500, 26500, 26500, 26500, 26700 Ni-MH/Ni-Cd: AA, AAA, AAAA, C, D

2 BATTERY SLOTS ▶ UMS2

Intelligent USB Dual-Slot Superb Charger

UMBZ BELL	
Compatible with	IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd
Input	DC 5V/2A 9V/2A 18W (MAX)
Output voltage	4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48V±1%
Output current	QC Mode: 3,000mA*1 (MAX), 2,000mA*2 (MAX) Standard Mode: 2,000mA*1 (MAX), 1,000mA*2 (MAX)

4 BATTERY **SLOTS** ► UMS4

Intelligent USB Four-Slot Superb Charger


UMS4 SPEC

Compatible with	IMR/Li-ion/LiFePO4/Ni-MH/Ni-Cd
Input	DC 5V/2A 12V/1.5A 18W (MAX)
Output voltage	4.35V±1% / 4.2V±1% / 3.7V±1% / 1.48V±1%
Output current	QC Mode: 3,000mA*1 (MAX), 2,000mA*2 (MAX), 1,000mA*4 (MAX) Standard Mode: 2,000mA*1 (MAX), 1,000mA*2 (MAX), 500mA*4 (MAX)

UMS2 & UMS4 COMPATIBLE WITH

IMR/Li-ion/LiFePO4:

10440, 14500, 14650, 16500, 16340 (RCR123), 16650, 17350, 17500, 17650, 17670, 17700, 18350, 18490, 18500, 18650, 18700, 20700, 21700, 22500, 22650, 25500, 26500, 26650, 26700 Ni-MH/Ni-Cd: AA, AAA, AAAA, C, D









Portable Dual-Slot USB Battery Charger

UI2 SPEC

Compatible with	IMR/Li-ion
Input	DC 5V/2A 10W
Output voltage	4.2V±1%
Output current	1000mA*2 (MAX)

UII & UI2 COMPATIBLE WITH

IMR/Li-ion: 10340, 10350, 10440, 10500, 12340, 12500, 12650, 13450, 13500, 13650, 14430, 14500, 14650, 16500, 16340(RCR123), 16650, 17350, 17500, 17650, 17670, 18350, 18490, 18500, 18650, 20700, 21700, 22500, 22650, 25500, 26500, 26650





Flexible Battery Charger & Power Bank

F4 SPEC Compatible with Li-ion / IMR Input DC 5V/2A Capacity 60Wh (MAX) Output voltage 4.2V±1% (BATTERY)/5V±5% (USB) Output current 2*1A, 4*0.5A (Battery)/2*2A (USB)


F4 COMPATIBLE WITH Li-ion / IMR: 18650







Dimensions:8.23" x 6.15" x 5.41" • Weight: 3.35kg (7.39lbs)



Operating -10~40°C (14~104°F)

temperature



► NPS400

▶ NPS200



Cig Lighter + DC Output:Total 120W

12W max each port

max

18W max

60W max

Portable Outdoor Power Station

	NPS400 SPEC		
	Cell	18650 Li-ion Batteries	
	Capacity	421Wh (10.8V, 39Ah) (117000mAh)	
	DC Input	14.4V-26V, up to 10A (160W max)	
	AC Output	220V Version: 220V~1.36A 50Hz, Pure Sine Wave 110V Version: 110V~2.75A 60Hz, Pure Sine Wave	300W, 600W surge
	Cig lighter port		Cig Lighter + DC Output: Total 120W
	DC Output	101/ 104	max
 Dimensions:9.61" x 7.39" x 6.19" (244mm x 187.7mm x 157.3mm) 	USB Output	5V=2.4A	12W max each port
	USB QC Output	5V=2.4A/9V=2A	18W max
 Weight:5.68kg (12.52lbs) 			60W max
(12.02100)	Operating temperature	-10~40°C (14~104°F)	





Portable Outdoor Pow

ver	Station	

	NPS600 SPEC		
	Cell	21700 Li-ion Batteries	
	Capacity	594Wh (10.8V, 55Ah) (165000mAh)	
	DC Input	14.4V-26V, up to 10A (160W max)	
	AC Output	220V Version: 220V~1.36A 50Hz, Pure Sine Wave 110V Version: 110V~2.75A 60Hz, Pure Sine Wave	300W, 600W surge
	Cig lighter port		Cig Lighter + DC Output:Total 120W
Dimension 0 (111 - 7 2011 - (1011	DC Output	101/ 104	max
 Dimensions:9.61" x 7.39" x 6.19" (244mm x 187.7mm x 157.3mm) 	USB Output	5V==2.4A	12W max each port
 Weight:5.83kg (12.85lbs) 	USB QC Output	5V=2.4A/9V=2A	18W max
° ° ° ° ° ,			60W max
	Operating temperature	-10~40°C (14~104°F)	

▶ NPB1

Waterproof Power Bank

NPB1 SPEC

Battery Type	21700 Li-ion Battery
Capacity	5,000mAh 3.64V (18.2Wh)
Rated Energy	3,200mAh 5V (TYP 1A)
Input	Micro-USB: 5V-2A
Output	USB-A: 5V=2.4A 9V=2A (18W MAX)
IP Rating	IP68



▶ NPB2 Waterproof Power Bank



NPBZ SPEC	
Battery Type	21700 Li-ion Battery
Capacity	10,000mAh 3.64V (36.4Wh)
Rated Energy	6,400mAh 5V (TYP 1A)
Input	Micro-USB: 5V=2A 9V=2A
Output	USB-A: 5V-2.4A 9V-2A 12V-1.5A Single Port: 5V-2.4A 9V-2A 12V-1.5A Dual Ports: 5V-2.4A (18W MAX)
IP Rating	IP68



▶ NB10000



Ultra Lightweight Energy Brick Weight: 150g (5.29oz)

NB10000 SPEC

Cell	Li-ion
Capacity	10,000mAh 3.85V (38.5Wh)
Rated Energy	6,400mAh 5V (TYP 1A)
	USB-C: 5V=2.4A / 9V=2A
Output	USB-C: 5V-3A / 9V-2A / 12V-1.5A USB-A: 5V-3A / 9V-2A / 12V-1.5A Dual Ports: 5V-3A (MAX)
Discontinue	121.9mm×59mm×10.6mm



Tactical © Gear

54

NITECORE®







+ Objective Lens Diameter:20mm / 0.79" + Dimensions: 70x38x35mm / 2.76"x1.50"x1.38" + Weight:118g / 4.16oz



OPTICS



+ Objective Lens Dimensions: 22x18mm / 0.87"x0.71" + Length:49mm / 1.93" + Weight:60g / 2.12oz





+ Tube Diameter: 30mm / 1.18" + Objective Lens Diameter: 24mm / 0.94" + Length: 287mm / 11.3" + Weight: 550g / 19.4oz



► 3-18x50 IR Rifle Scope

+ Tube Diameter: 30mm / 1.18" + Objective Lens Diameter: 50mm / 1.97" + Length: 378.5mm / 14.9" + Weight: 742g / 26.2oz



▶ NTP21




▶ NTP10

Tactical Pen

Titanium















Specifications

Capacity: 20L / 1,220 cu in Dimensions: 45cm x 28cm x 12cm / 17.7" x 11" x 4.7" Weight: Approx. 1,500g / 3.3lbs



Winner of Small Backpacks of TACTICAL GEAR Magazin



Ventilated back enhances air circulation and lightens the burden











Multi-Purpose Modular Backpack

Specifications

Capacity: 25L / 1,526 cu in Dimensions: 45cm x 28cm x 16.5cm / 17.7" x 11" x 6.5" Weight: Approx. 1,460g / 3.22lbs



Side







Bottom MOLLE System













Black

Ranger Green





Features

- + Designed for commuters and overnighters
- + Wearproof and water resistant 500D Nylon fabric
- + 20L main compartment with full opening
- + Laser cut MOLLE System for modular extensions
- + Interior design with combination of loop surface and MOLLE System + Outstanding carrying system increases the ergonomic comfort
- + Innovative straw/cable holes designed on top of both sides + 14" laptop/tablet compartment
- + Premium YKK zippers
- + UTX Duraflex buckles
- + Optional inner and outside modules available





Specifications

Capacity: 20L / 1,220 cu in Dimensions: 45cm x 27cm x 15cm / 17.7" x 10.6" x 5.9" Weight: Approx. 1,400g / 3.1lbs





▶ MP25 25L Modular Backpack



Features `

- + Designed for long-duration operations, commuters and overnighters + Wearproof and water resistant 500D Nylon fabric
- + 25L main compartment with full opening
- + Laser cut MOLLE System for modular extensions
- + Interior design with combination of loop surface and MOLLE System + Outstanding carrying system increases the ergonomic comfort
- + Innovative straw/cable holes designed on top of both sides
- + 14" laptop/tablet compartment
- + Premium YKK zippers
- + UTX Duraflex buckles

Specifications

Capacity: 25L / 1,526 cu in

Weight: Approx. 1,500g / 3.3lbs

+ Optional inner and outside modules available



Dimensions: 50cm x 27cm x 17cm / 19.7" x 10.6" x 6.7"





60





Ranger Green





Features

- + 1000D Nylon
- + 5mm Eva lining
- + 3D mesh backing
- + D ring for suspender or accessories attachment
- + 1¹/2" Nylon woven belt with UTX side release
- buckle included + Additional Cobra belt available

Specifications

Width: 70mm / 2.76" Size: S 26-30" M 30-34" L 34-38" XL 38-42"

▶ MP30 **30L Modular Backpack**



Features

- + Designed for long-duration and long-distance operations
- + Excellent and flexible carrying capability in harsh environments + Wearproof and water resistant 500D Nylon fabric
- + 30L main compartment with full opening
- + Laser cut MOLLE System for modular extensions + Interior design with combination of loop surface and MOLLE System
- Outstanding carrying system increases the ergonomic comfort
 Innovative straw/cable holes designed on top of both sides


- + Premium YKK zippers
- + UTX Duraflex buckles
- + Optional inner and outside modules available



Specifications

Capacity: 30L / 1,831 cu in Dimensions: 58cm x 27cm x 17cm / 22.8" x 10.6" x 6.7" Aux Compartment: 33cm x 25cm x 6cm / 13.0" x 9.8" x 2.4" Weight: Approx. 1,600g / 3.5lbs





► MB LW Lightweight Tactical Belt Pad

Features

- + 1000D Nylon + 5mm Eva lining
- + 3D mesh backing
- + D ring for suspender or accessories attachment + 2" Nylon woven belt with UTX side release buckle included

Specifications

Width: 95mm / 3.74" Size: S 26-30" M 30-34" L 34-38" XL 38-42"









TACTICAL BELT PADS

Body Armor ond Packs

NITEWING®

NITEWING®







Coyote Brown

Army Green

Black



07 Digital Camo



LIGHTWEIGHT ASSAULT SYSTEM







Black

▶ MBBG01

Lightweight Assault System (LAS) Intermediate Laser-cut Vest

Features

- + Austrian Cobra quick-release buckles
- + Laser-cut MOLLE System
- + Life-saving rescue and dragging system + Replaceable unibody shoulder pads
- + Fast Switching System (FSS) on the waist and back areas
- + Innovative Modular Hook System (MHS) for quick readjustment





Design

The MBBG01 is the intermediate laser-cut vest of the Lightweight Assault System (LAS) designed for security guards, patrols, border control officers and peacekeeping forces. Optimized to tactical movements of the users, it greatly increases the ergonomic comfort by the 3-dimensional cutting design. Compared to the lightweight body armor, it is equipped with a soft protective layer to greatly increase the protective area.



Lightweight Plate Carrier (Water Resistant Version)

Features

- + 500D Nylon with TPU water resistant coating
- + High frequency welding for excellent water-resistant performance
- + Laser-cut MOLLE System
- + Size readjustment device on the back
- + Ballistic plates and inserts available
- + Modular waist panel design
- + Upper back retractable life-saving handle
- + Back area quick storage system
- + Compatible with tactical belts and assault backpacks

66







The MBBL01 is a lightweight plate carrier featuring outstanding water-resistant performance with a

including sea patrols and amphibious battles. The quick storage system between the bulletproof vest

laser-cut MOLLE System for modular extensions, specially designed for naval military operations

and the backpack is designed to avoid interference with the shooting accuracy.

67



NITEWING®







Coyote Brown

Army Green

Black

▶ MBP15L

15L Modular Assault Backpack

Features

- + 1000D Nylon
- + Laser-cut MOLLE System
- + YKK waterproof zippers
- + UTX Mojave buckles
- + Carrying system with EVA foam
- + Straw hole on the top
- + Interfaces for tactical electronic devices
- + Concealed rain cover included



Design

The MBP15L is a 15L (915.4 cu in) modular assault backpack with a rounded body design and concealed zippers to avoid being hooked in the jungle areas. It is available for independent uses and compatible with body armor and plate carriers.



07 Digital Camo



LIGHTWEIGHT ASSAULT SYSTEM







Black

1

► MBBL05

Lightweight Assault System (LAS) Summer Hollow Vest

Features

- + Austrian Cobra quick-release buckles
- + Laser-cut MOLLE System
- + Air Flow Liners (AFL) for rapid sweat evaporation and quick dry
- + Fast Switching System (FSS) on the waist and back areas + Innovative Modular Hook System (MHS) for quick readjustment





Design

The MBBL05 is the summer hollow vest of the Lightweight Assault System (LAS) designed for universal usage of law enforcement and military operations, featuring quick release, quick dry, enhanced offensive and defensive performance. Optimized to tactical movements of the users, it greatly increases the ergonomic comfort by the 3-dimensional cutting design. The large hollow design also achieves an excellent cooling performance.





Tactical Belt

Features

- Specially designed for military training, operations, patrols and daily duty
 Laser-cut MOLLE System
- + 3-dimensional cutting
- + Trapezoidal protective areas
- + UTX buckles
- + Available for independent uses and compatible with modular extensions

▶ MBG01

Tactical Chest Bag

Features

- + Specially designed for military training and daily duty + Laser-cut MOLLE System
- + YKK waterproof zippers
- + UTX Mojave buckles
- + Hook-and-loop areas



► MBG02

Extended Rifle Magazine Pouch

Features

- + Laser-cut unibody design
- + Elastic cord linking + Multiple rifle mag sizes compatible
- + Universal and quick draw modes available



► MBG03

Quick Draw Rifle Magazine Pouch

Features

- + Laser-cut unibody design
- + Elastic cord linking
- + Multiple rifle mag sizes compatible





Pistol Magazine Pouch

Features

- + Laser-cut unibody design
- + Elastic band linking
- + Multiple pistol mag sizes compatible
- + Tactical flashlights and multi-tools compatible



Multifunctional Tactical Rifle Bag

Features

- + Suitable for rifles of 0.6-1.2m (1.97'-3.94') long
- + 1000D Nylon
- + Shooting bag and mattress interchangeable
- + 3 strips for binocular bags, rifle magazine pouches etc.
- + Detachable shoulder straps







NITEWING®

► MBG05

Dual Pistol Magazine Pouch



- + Laser-cut unibody design
- + Elastic band linking
- + Multiple pistol mag sizes compatible
- + Increased functionality and carrying compatibility





Quadruple Rifle Magazine Pouch

Features

- + Specially designed for military training and special forces operations
- + Laser-cut design
- + Available for independent uses and compatible with body armor and plate carriers
- + Enables quick draws for requirements of shooting sports





Octuple Chest Rig Pouch

Features

- + Specially designed for military training and special
- forces operations
- + Laser-cut design
- + UTX Mojave buckles + Detachable back strips
- + Available to carry 4 x rifle magazines, 2 x pistol magazines, 1 x walkie-talkie, 1 x compass, 1 x gadget
- + Available for independent uses and compatible with body armor and plate carriers



Vest Module

Features

- + Specially designed for military training and special forces operations
- + Laser-cut design
- + Outer MOLLE System
- + UTX Mojave buckles
- + Detachable back strips
- + Available for independent uses and compatible with body armor and plate carriers



▶ MBG09

Walkie-talkie Pouch

Features

- + Laser-cut unibody design
- + Elastic band linking
- + Multiple walkie-talkie sizes compatible



► MBG10

Radio Pouch

Features

- + Laser-cut unibody design
- + Elastic band linking
- + Multiple sizes of radio communication equipment compatible



▶ MBG11

Medical Pouch

Features

- + 1000D Nylon
- + Laser-cut MOLLE System
- + Interior and exterior hook-and-loop design
- + Two user modes including Tactical Mode and Duty Mode available
- + Elastic band and paracord compatible



► MBBC01

Inner Bulletproof Vest

Features

- + Elastic and breathable materials
- + Tactical cutting techniques
- + 3-side size readjustment
- + Laser-cut hook-and-loop areas
- + Frontal Fast Switching System (FSS) for LAS accessories



Apporel

NITEWING®



► MAAB01

Short Sleeved T/B

Fabric Weight

80 GSM (2.4oz/yd²)

Applicable Temperature

10°C-38°C (50°F-100.4°F)

Design

The MAAB01 is a short-sleeved suit made by anti-UV yarn combined with waterproof materials with anti-hook, anti-pilling and anti-static features. It has a breathable and quick dry design for the ergonomic comfort in vigorous movements.

► MAAB03

FR Aramid Long Sleeved T/B

Fabric Weight

120 GSM (3.5oz/yd²)

Applicable Temperature

10°C (50°F)

Design

The MAAB03 is an aramid long sleeved suit specially designed for military operations. It is soft and comfortable with flame retardant, heat resistant and antistatic features.





► MAAB02

Long Sleeved T/B

Fabric Weight

150 GSM (4.4oz/yd²)

Applicable Temperature

10°C (50°F)

Design

The MAAB02 is a long-sleeved suit featuring one-way-dry, bacteriostatic, antistatic, anti-UV techniques. Specially designed for cold environments, it has a loose and comfortable design suitable for daily wearing.

► MAAB04

FR Polyimide Long Sleeved T/B

Fabric Weight

180 GSM (5.3oz/yd²)

Applicable Temperature

0°C (32°F)

Design

The MAAB04 is a polyimide long sleeved suit specially designed for military operations. It is soft and comfortable with excellent flame retardant, bacteriostatic and thermal performance.



NIŢEWINĢ®



	MAAT04
-	

Summer Duty Uniform T/B

Features

- + Breathable, waterproof and quick dry materials
- + High strength elastic and wearproof techniques
- + Joint protection design
- + 3-dimensional cutting
- + YKK zippers
- + UTX buckles



Design

The MAAT04 is a summer duty uniform specially designed for military training and operations. With a superior modular design of simplicity and ergonomics, it is convenient to be readjusted and stored while also suitable for daily outdoor wearing.

► MAAT05

Summer Combat Uniform T/B

Features

- + Lightweight, elastic, quick dry and anti-hook Nylon
- + Waterproof, wearproof and one-way-dry materials
- + Soft shell materials
- + Joint protection design
- + Hook-and-loop areas + Zippered arm pockets for go-to gadgets







The MAAT05 is a lightweight summer combat uniform specially designed for operations in hot environments. With a superior modular design, it greatly improves the flexibility and breathable performance while offering an outdoor protection for the joints of the wearer.



► MAAT06

Spring/Summer Combat Uniform T/B

Features

- + High strength and wearproof Nylon
- + High quality cotton camo
- + Fire retardant, waterproof and wearproof materials
- + Adjustable protective insets for elbows and knees available
- + Tactical cutting design
- + Breathable channel system





Design

The MAAT06 is a spring/summer combat uniform with multiple versions including Universal Version, Hot Climate Version and Special Forces Version. With a modular design, it guarantees the mobility of the wearer with basic protection, excellent heat dissipation and quick dry performance in vigorous movements.



► MAAT07

Fall/Winter Combat Uniform T/B

Features

- + Intermediate high strength Nylon
- + High quality anti-IR cotton camo
- + Adjustable protective insets for elbows and knees available
- + Multifunctional zippered pockets
- + Tactical cutting design on top
- + 3-dimensional cutting design on bottom





Design

The MAAT07 is a fall/winter combat uniform specially designed to provide protection and camouflage for operations in harsh environments. With multiple tactical designs, it greatly increases the efficiency of the wearer with large carrying capacity, ultimate flexibility and breathable performance.

NIŢEWINĢ®



► MAAI01

Short Fleece

Fabric Weight

200 GSM (5.9oz/yd²)

Applicable Temperature

0°C (32°F)

Design

The MAAI01 is a lightweight short fleece suit designed to keep warm in military operations, featuring windproof, breathable and excellent thermal performance.

► MAAI03

FR Polyimide Fleece

Fabric Weight

360 GSM (10.6oz/yd²)

Applicable Temperature

-15°C (5°F)

Design

The MAAI03 is a polyimide fleece suit designed to keep warm in military operations. With a heat resistance of 400°C (752°F), it is soft and comfortable with excellent flame retardant, windproof, breathable and thermal performance.





▶ MAAI02

Long Fleece

Fabric Weight

260 GSM (7.7oz/yd²)

Applicable Temperature

-10°C (14°F)

Design

The MAAI02 is a strengthened long fleece suit designed to keep warm in military operations, featuring windproof, breathable and excellent thermal and compressible performance.



Soft Shell Fleece Coat

Fabric Weight

150 GSM (4.4oz/yd²)

Applicable Temperature

0°C (32°F)

Design

The MAAI04 is a soft shell fleece coat made by elastic materials with waterproof coating, featuring excellent, flame retardant, waterproof and thermal performance.





► MAAS01

Soft Shell Combat Coat Fabric Weight

240 GSM (7.1oz/yd2)

Applicable Temperature

0°C (32°F)

Design

The MAASO1 is a soft shell combat coat specially designed for military operations in harsh environments, featuring excellent waterproof, breathable and windproof performance. ► MAAS03

Warm Parka T/B Fabric Weight

200 GSM (5.9oz/yd²)

Applicable Temperature

-30°C (-22°F)

Design

The MAAS03 is a warm parka with the new nanofoam inset to provide a better dynamic thermal and waterproof performance compared to the ordinary velvet.



► MAAS02

Hard Shell Trench Coat T/B

Fabric Weight

228 GSM (6.7oz/yd²)

Applicable Temperature

-17°C (1.4°F)

Design

The MAAS02 is a hard shell trench coat specially designed for the harsh environments, featuring excellent waterproof, breathable, windproof and thermal performance with one-way-dry technique.

► MAAS04

EX Warm Parka T/B

Fabric Weight

200 GSM (5.9oz/yd²)

Applicable Temperature

-35°C (-31°F)

Design

The MAAS04 is an EX warm parka with the new nanofoam inset to provide a better dynamic thermal and waterproof performance compared to the ordinary velvet. It also has an excellent moisture proof feature and maintains more 90% of its warmth even in extremely humid environments.



PHOTO CREDITS

George Frantzeskakis Hamzasarajlic Jose Miguel Nautilus Wolf n1_airsoft_n1 Samef Tactical China Samolis Xiao Yu AJ Colores Saboter

> All images, text and statements specified herein this catalogue are for reference purpose only. Should any discrepancy occur between this catalogue and information specified on www.nltewing.com, information on our official website shall prevail. Sysmax Innovations Co., Ltd. reserves the rights to interpret and amend the content of this document at any time without prior notice.

00

85